

IN THE UNITED STATES PATENT & TRADEMARK OFFICE

IN RE APPLICATION OF: U.S. Patent No. 6,950,669

USPTO CONFIRMATION CODE: 8891

APPLICATION NO.: 09/854,798

FILED: May 14, 2001

EXAMINER: Nick Corsaro

GROUP ART UNIT: 2684

FOR: POWER CONTROL ALGORITHM FOR PACKET DATA BASED ON
QUEUE/CHANNEL UTILIZATION

37 CFR 1.322 & 37 CFR 1.323 REQUEST FOR CERTIFICATE OF CORRECTION
FOR USPTO MISTAKE

HONORABLE COMMISSIONER OF PATENTS & TRADEMARKS

SIR:

The following is a request for a certificate of correction in Serial Number
09/854,798, now Patent Number 6,950,669.

A certificate of correction under 35 USC 254 is respectfully requested in the
above-identified patent.

All errors were the fault of the USPTO, no fee required. In the event that a
further fee is required, please charge the amount to our Deposit Account No. 50-1379.

The exact locations where the errors appear in the patent and patent application
are as follows:

In Column 8, Line 66, in Claim 1, delete “measuring” and insert - - measuring - -, therefor.

(AMENDMENTS TO THE CLAIMS, DATED JUNE 29, 2004, PAGE 2 OF 9, CLAIM 1, LINE 3)

In Column 9, Line 9, in Claim 1, delete “call” and insert - - cell - -, therefor.

(AMENDMENTS TO THE CLAIMS, DATED JUNE 29, 2004, PAGE 2 OF 9, CLAIM 1, LINE 6)

In Column 9, Line 29, in Claim 8, delete “predestined” and insert - - predefined - -, therefor.

(ORIGINALLY FILED SPECIFICATIONS IN THE CLAIMS, DATED MAY 14, 2001, PAGE 28, CLAIM 8, LINE 2)

In Column 10, Line 29, in Claim 27, delete “predestined” and insert - - predefined - -, therefor.

(ORIGINALLY FILED SPECIFICATIONS IN THE CLAIMS, DATED MAY 14, 2001, PAGE 32, CLAIM 29, LINE 3)

The requested corrections are attached on Form PTO 1050.

Respectfully Submitted

September 25, 2007

/SIDNEY L. WEATHERFORD, Reg#45602/

DATE

Sidney L. Weatherford
Registration No. 45602

Attorney of Record

UNITED STATES PATENT AND TRADEMARK OFFICE CERTIFICATE OF CORRECTION

Page 1 of 1

PATENT NO. : 6,950,669 B2

APPLICATION NO. : 09/854,798

ISSUE DATE : September 27, 2005

INVENTOR(S) : Arne Simonsson

It is certified that an error appears or errors appear in the above-identified patent and that said Letters Patent is hereby corrected as shown below:

In Column 8, Line 66, in Claim 1, delete "mensuring" and insert - - measuring - -, therefor.

In Column 9, Line 9, in Claim 1, delete "call" and insert - - cell - -, therefor.

In Column 9, Line 29, in Claim 8, delete "predestined" and insert - - predefined - -, therefor.

In Column 10, Line 29, in Claim 27, delete "predestined" and insert - - predefined - -, therefor.

MAILING ADDRESS OF SENDER (Please do not use customer number below):

6300 Legacy, MS EVR 1-C-11
Plano, TX 75024
972-583-8656

This collection of information is required by 37 CFR 1.322, and 1.323, and 1.324. The information is required to obtain or retain a benefit by the public which is to file (and by the USPTO to process) an application. Confidentiality is governed by 35 U.S.C 122 and 37 CFR 1.14. This collection is estimated to take 1.0 hour to complete, including gathering, preparing, and submitting the completed application form to the USPTO. Time will vary depending upon the individual case. Any comments on the amount of time you require to complete this form and/or suggestions for reducing this burden, should be sent to the Chief Information Officer, U.S. Patent and Trademark Office, U.S. Department of Commerce, P.O. Box 1450, Alexandria, VA 22313-1450. DO NOT SEND FEES OR COMPLETED FORMS TO THIS ADDRESS. SEND TO: Attention Certificate of Corrections Branch, Commissioner for Patent, P.O. Box 1450, Alexandria, VA 22313-1450.

If you need assistance in completing the form, call 1-800-PTO-9199 and select option 2.